
The Lambert W Function

$. C \quad D \quad . ff$

•

2 Applications

Because W is a so-called implicitly elementary function, meaning it is defined as an implicit solution of an equation containing only elementary functions, it

the iteration converges if $|z| < 1$, and also if $z = e^i$ for z equal to some multiple of e^i , say m/k . Regions where the iteration converges to a k -cycle may touch the unit circle at those points.

4 Retrospective

The Lambert W function crept into the mathematics literature unobtrusively, and it now seems natural there. There is even a matrix version of it, although the solution of the matrix equation $Se^S = A$ is not always $W(A)$.

Hindsight can, as it so often does, identify the presence of W in writings by Euler, Poisson, and Wright and in many applications. Its implementation in Maple in the early 1980s was a key step in its eventual popularity.

Indeed, its recognition and naming supports Alfred North Whitehead's opinion that:

By relieving the brain of all unnecessary work, a good notation sets it free to concentrate on more advanced problems.

Further Reading

- Corless, R. M., G. H. Gonnet, D. E. G. Hare, D. J. Jeffrey, and D. E. Knuth. 1996. On the Lambert W function. *ACM Transactions on Mathematical Software* 23(3):307–59.
- Knuth, D. E. 2000. *The Art of Computer Programming*. Palo Alto, CA: Stanford University Press.
- Knuth, D. E. 2003. *The Art of Computer Programming*. Stanford, CA: CSLI Publications.
- Lamb, T., and E. Pugh. 2004. Dark adaptation and the retinoid cycle of vision. *Journal of Neurophysiology* 92(3):307–80.
- Olver, F. W. J., D. W. Lozier, R. F. Boisvert, and C. W. Clark, eds. 2010. *NIST Handbook of Mathematical Functions*. Cambridge: Cambridge University Press. (Electronic version available at <http://dlmf.nist.gov>.)